f : ' √		, . 3	011 5	#1880			
		,	JUN 0 4 2003 E.	MailyStop RCE			
			The state of the s	Application Number: 09/506,795			
REQUEST FOR				Filing Date: February 18, 2000			
CONTINUED EXAMINATION (RCE) TRANSMITTAL				First Named Inventor: Alain BETHUNE			
IRANSWIIIAL				Group Art Unit: 1734			
Subsection (b) of 35 U.S.C. § 132, effective on May 29, 2000 provides for continued examination of a utility or plant application							
filed on or after June 8, 1995. See The American Inventors Protection Act of 1999 (AIPA)				(AIPA) Attorney Docket Number: 5725.0533			
				Attorney Customer Number: 22,852			
This is a Request for Continued Examination (RCE) under 37 C.F.R. § 1.114 of the above-identified application.							
Note: 37 C.F.R. § 1.114 is effective on May 29, 2000. If the above-identified application was filed prior to May 29, 2000, applicant may wish to consider filing a continued prosecution application (CPA) under 37 C.F.R. § 1.53(d) instead of a RCE to be eligible for patent term adjustment provisions of the AIPA. See "Changes to Application Examination and Provisional Application Practice," Interim Rule, 65 Fed. Reg. 14865 (March 20, 2000). Off. Gaz. Pat. Office 47 (April 11, 2000), which established RCE practice.							
1.	Sul	bmiss	sion required under 37 C.F.R. § 1.114	:			
٠.	a.		Previously submitted				
		i.	☐ Consider the amendme	ent(s)/reply after final under 37 C.F.R. § 1.116 previously filed on			
-		ii.	Consider the argument	s in the Appeal Brief of Reply Brief previously filed on			
		iii.	Other				
	b.	\boxtimes	Enclosed:	•			
		i.		(c) 06/05/2003 JADDO1 00000014 09506795			
		٠ij.	☐ Affidavit(s)/Declaration	(s) 05/03/2003 3RB201 750.00 OP			
		iii.	Information Disclosure	Statement 01 FC:1801			
		iv.	Other				
2.	Mis	Miscellaneous					
	a. Suspension of action on the above-mentioned application is requested under 37 C.F.R. § 1.103(c) for a period of months. (Period of suspension shall not exceed 3 months; fee under 37 C.F.R. § 1.17(i) required.)						
	b.		Other				
3.	Fe	es					
	a.	a. The filing fee is calculated as follows:					
		i.		\$750.00 RCE fee required under 37 C.F.R. § 1.17(e)			
		ii.	Petition for extension of	Petition for extension of time for (Months) \$			
		iii.	Other	Other			
	b. 🖸 Check in the amount of \$ <u>750.00</u> enclosed.						
	c. The Commissioner is authorized to charge any deficiencies in the filing fees, or credit any overpayments to Deposit Account No. 06-0916.						
Signature of Applicant, Attorney, or Agent Required							
Name: Andrew J. Vance Reg. No.: 45,174							

Date: June 4, 2003 Signature: Certificate of Mailing or Transmission I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Commissioner for Patents, BOX RCE, Washington, D.C. 20231, or facsimile transmitted to the U.S. Patent and Trademark Office on: Name:

Date:

Name: Andrew J. Vance

Signature:







Customer No. 22,852 Attorney Docket No. 5725.0533

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re	Application of:				
ALAIN	N BETHUNE et al.	Group Art Unit: 1734			
Applic	cation No. 09/506,795) Examiner: G. Koch			
Filed:	February 18, 2000				
For:	MATERIAL SUPPLY STRIP, SYSTEM, AND METHOD OF APPLYING PIECES OF MATERIAL TO OBJECTS))))			
Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450					

<u>AMENDMENT</u>

In response to the Office Action dated April 9, 2003, and in conjunction with the Request for Continued Examination filed herewith, please amend the application as follows:

IN THE SPECIFICATION:

Sir:

Please replace the paragraph at page 11, lines 2-9 of the application, with the following:

FINNEGAN HENDERSON FARABOW GARRETT & DUNNER LP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com -- In an embodiment, the backing includes labels on the first surface positioned substantially opposite to corresponding labels on the second surface. For example, the labels on the first surface may be centered with respect to the labels on the second surface. This configuration is preferable when labels of different format are provided on